Nov. 8, 1927

MINERAL SURVEY No. 4049...

	Arizona	Land District.
	FIELD NOT OF THE SURVEY OF THE MINING	
	or the dokument of the Minin	G CLAIM OF
	C. W. McKee.	
	KNOWN AS THE	
	Mystery No.1.lode.	
	Old Hat	Mining District,
Pim	County,	Arizona.
	unapproved, Township 11 8	
	ed under instructions datedJuly,	
		182 (·
L. Pega	by	R. E. Tilden.
		U. S. Mineral Surveyor.
	Claim located April, 14th,	
	Survey commenced November, 3r	d, 19 27.
	Survey completed November, 5th,	
J	Address of claimants John R. Hamm	bton. Building. Phoenix. Arizona.
	DATES OF AMENDED LOCA	
-822		
		GOVERNMENT PRINTING OFFICE

1

Feet.

· Mystery No.1.lode. Beginning at Corner No.1 Identical with a Corner of the location as wed redwood post, 4ins square, 4 ft long, set 18 ins in the ground in mound of earth and stones, scribed 1-4049- M-No.1. Whence the West 1/4 Sec. Cor. to Sec 12. Tp 11 S-R 16 E. G & S. R. Mer, bears S 48°-55'-30"E 4748.6 ft. The 1/4 Sec Cor Secs 2. Tp 11 S-R 16 E. G & S. R. Mer, (Unapproved) bears S 65°-15'-40" E. 1041.6 ft. / Cor No.6 Pandora's Box lode, sur No.666, bears S 52°-08'-30"E 5098.3 ft., A cross chiseled on W face of an Iron Rock ledge, size 1 x 3x6 ft exposed above ground, scribed B.R.-1-4049, bears N 840-05'E 32.89 ft. The North West Cor, Sec, 12 Tp 115-R 16 E. G & S. R. Mer, bears \$ 82°-16'-16"E 3609.93 ft... No other bearing objects available.

Thence S 55°-55'-30"W.

- To South East End Center location Monument, a stone 313.9 monument, 4 ft high, with a base of 4 ft, marked S. E. End-Cent, M. No. 1. lode, Whence the discovery Cut bears N 51°-26'-30 W 1383.29 ft. No other bearing objects available.
- 627.8 To Cor No. 2. Identical with a Cor. of the location a sewed pine post, 4 ins x 6 ins x 4 ft long, set/in mound of earth and stones, scribed, 2-4049-M.No.1. whence a 10 penny nail driven in a 10 ins. diameter black Oak tree, blazed and scribed B.T. 2-4049 bears S 570-36 E 95.5 ft. a cross chiseled on the North face of a limestone ledge, size, 1 x 3 x 4 ft exposed, bears S 73°-30" 30.68 ft, scribed, B.R.-2-4049.No other bearing objects available.

Thence N 510-26'-30"W

1499.64 To Cor No. 3. Identical with a Cor of the location a sawed pine post, 4ins. x 6ins. x 4 ft. long.set 18 ins. in the ground in mound of earth and stones, scribed 3-4049-M-No.1. Whence a cross chiskeled on the face of a limestone ledge, size 3 x 4 x 0.5 ft above ground, exposed & bcribed B.R.-3-4049, bears N27°-51'E 35.14 ft.

Feet.

Mystery No.1. lode, (Contd)

No.other bearing objects available.

Thence N 55°-55'-30"E

313.9

To North West End Center location monument, a stone monument 4 ft high, having a base of four feet, marked NW. End Cent Mystery No.1. lode, whence the Discovery Cut 116.35 bears S 51°-26'-30"E

No other bearing objects available.

627.8

To Cor No. 4. Identical with a Cor. of the location, a sawed pine post, 4 ins. square, 4 ft. long set 18 ins. in the ground in mound of earth and stones, scribed 4-4049 M-No.1 Whence a cross chis teled on the face of a limestone ledge in place, size, 1 x 3 x 4 ft above ground, scribed, B.R.-4-4049, bears N 70-23'E 13.46 ft, a point between two small peaks in the far distance, bears S 50°-10'E.

No other bearing objects available.

Thence S. 51°-26'-30"E.

1499.64 To Cor. Nol. the place of beginning..

All the location corners of this lode were found in place.

Variation at all corners of this survey is 13°-40'E

Lode Line.

As near as can be determined from present developments, the vein of this claim extendess follows from the discovery cut .. N 51°-26'-30"W 116.35 ft and 3 51°-26'-30"E 1383.29ft.

Area.

Total area, -----

----20.628 acres

Location

This claim is located in the S. W. 1/4 Sec, 2, unapproved, Tp 11 S-R 16 E. G.& S. R. Mer, in the Old Hat Mining District, Pima County, Arizona.

Mystery No.1. lode (Contd)

Expenditure of five hundred dollars..

I certify that the value of the labor and improvements made upon this claim by the claimant or his grantors is not less than five hundred dollars, and that said improvements consist of.

- Nol. A discovery open cut in solid rock and ore, the North end of which bears from Cor No.4, S 340-14'W 279.5 ft. and runs S 330-55'W 22.0 ft, size of open cut is 2 x 9 x 22.ft with a shaft in the cut at South end. size 4 x 6 x 5. ft Value 300. deep.
- No. 2. A shaft 4 x 4 x 30 ft deep, the center of which bears from Cor No.4 S 21°-39'E 597.6 ft, Value \$450. A 1/12 interest credited to this claim \$ 37.50
 - No.3. A shaft 4 x 4 x 20.ft deep sunk in solid rock to tap tunnel when extended, the center of which bears from Cor No.4. S 36°-56'E 789.9 ft, 21 Veville 8 Value \$300.

A 1/12 interest credited to this claim \$25. property of elaiment herein.

No. 4. A shaft 4 x 6 x 40 ft deep in solid rock, the center of which bears from Cor No.3 S 81°-07'-30 'E 405.1 ft Value \$ 800.

A 1/12 interest credited to this claim. 66.67

- No. 5. A shaft at the portal of a tunnel in solid rock, size 4 x 6 x 10.ft deep in solid rock, with a tunnel 4 x 5 x 20 ft long, running South, the center of sheft bears from Cor No.3 -\$ 640-51'E 492.8 ft, Value \$ 450. A 1/12 interest credited to this claim. 37.50
- No. 6. A working tunnel 4 x 5 x 42 ft long, the portal of which bears from Cor No.1. N 66°-11'W 375. 4 ft, and runs thence N 75°W 42.ft. to face. Value \$ 840. A 1/12 interest credited to this claim, \$ 70.
- No.7 A working tunnel, size, 4 x 6 x 80. ft long, the portal of which bears from Cor No.3 S 83°-20'E 349.4 ft, in soldd rock, and runs thence N 1º-19'W 80.ft to face.

Value \$ 1600.

5

TG. 00

Mystery No. 1. lode, (Contd)

A 1/12 interest credited to this claim. \$ 133.33

Instrument.

This survey was made with a C.L. Berger & Sons, Engineers transit, with Horizontal limb divided to 30" seconds of arc, and the vertical limb divided to single minutes of arc. All lines were run on the true meridian, obtained by several direct observations upon the Sun, and from this data obtained, the true meridian was calculated, using the proper latitude and longitude of the place of observation.

pistances were measured with a 600 ft steel tape, divided to single feet, and end feet divided to tenths of a foot; shorter distances were measured with a 50 ft length steel tape, divided to feet, tenths, and hundreths of a foot...

Adjacent claims..

This survey is adjoined on the northeast by the Climax #6 lode, on the southeast by the Climax #8 lode, on the southwest by the Climax #2 lode, and on the northwest by the Climax #4 and Climax #10 lodes, all the property of claimant herein.

Improvements Nos 2-3-4-5-6 & 7 constitute a system of workings for the benefit and development of this group of twelve claims, i.e., the Mystery No.1. lode of this survey, and the Climax, Climax Nos 1-2-3-4-6-8-10-12- Sunshine & Queen of Sheeba No.7 lodes, unsurveyed, belonging to claimant herein.

By extending improvement No.6 to connect up

with improvements Nos, 2-3-,4 & 5, the entire claim may be developed, and by sinking and cross-cutting from these various improvements, the entire group of 12 adjacent claims can be developed to advantage by drifting North South, East and West, as this claim lies in a basin or kind of crater, the ledges running parallel and also at right angles in several of the claims adjacent, some of the claims to the South being on high ridges, and by extending improvements No.

7. in North East, North and North West direction, under the high mountain, will develop the claims that lie in that

Najerobet - Sir ins . .

Mystery No.1. lode, (Contd)

vicinity and are also on very much higher ground, and with ledges running East and West. Therefore a 1/12 interest in each of the said workings is credited to this claim and reserved for each of the 11 unsurveyed adjacent claims.

Report.

The West ½ Cor of Sec, 12 Tp 11 S-R 16 E.- G & S. R. Mer to which Cor No.1 of this survey is tied to, is the original 1/4 Sec Cor of said Sec 12, it having been replaced by a regulation monument now used on all U.S.Land Surveys for standard 1/4 Sec Cors, and from this 1/4 Sec Cor, I found the original bearing trees which read as follows, A 14 ins diameter Black Oak tree, blazed and scribed, B.T.-S 1/4 bears S 51°-50'W 46.05 ft. A 10 ins diameter, Black Oak tree, blazed and scribed B.T.-3 1/4. bears S 89°-37'E

Cor No. 6 Pandora's Box lode, Sur No. 666, was a rock monument with a decayed post in its center, scribed P.B.6.

No bearing trees to this cor were found, that could be identified as such.

A new 1/4 cor. to secs. 2 and 11 was found and tied to as shown in this survey, it being a standard U.S.Gov Surv Cor monument. The N.W. Cor of Sec 12, was found, being replaced by a standard U.S.Gov Sur Cor monument, from this Cor. the Cor to Secs, 2-11 bears N 0°-06'E 46.54 ft..

The ground covered by this claim is very barren, being covered mostly by cactus and a few scrub cak trees; it is well mineralized, the formation being lime and porphyry...

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals em	ployed by R.E.Tilden	,			
United States Mineral Surveyor, to assist in	running, measuring, and marking the lin	nes, corners, and			
boundaries described in the foregoing field notes of the survey of the mining claim of					
CN McKe	2e"				
known as the	ry Nº1 lode				
and showing the respective capacities in which		, Chainman. , Chainman. , Axman.			
FINAL OATH	S OF ASSISTANTS.				
We, I W H. Sheri	d				
and	, do solemnly swear that wassisted R	E, Tilden			
, United States	s Mineral Surveyor, in marking the corners	and surveying			
the boundaries of the mining claim of	.W Mc Kee				
known as the Mystery	1 No, 1 lode				
represented in the foregoing field notes as have	ing been surveyed by said mineral surveyo	r and under his			
direction; and that said survey has been in all r	respects, to the best of our knowledge and b	elief, faithfully			
and correctly executed, and the corner and bound	ary monuments established according to law	and the instruc-			
tions furnished by the United States Surveyor Go	eneral for OFFICE CAD:STRAL ENGINEER Heriol	, Chainman.			
		, Chainman.			
		Axman.			
	the above-named persons before me this	712			
day of <u>Move</u>	mber , 1927				
y Commission expire Jun. 18 1918	5. Notary Public	\			
Jan. 18 1918		6—1043			

FINAL OATH OF U. S. MINERAL SURVEYOR.

		, U. C	o. Ivilineral Surveyor.		
	I, R. E. Tilden. do solemnly swear that, in pursuance of instruct				
	at Phoenix Arizona				
	I have, in strict conformity to the laws of the U				
	tions thereunder, and the instructions of said O				
	executed the survey of the Mining Claim of				
	Mystery No, 1 lode.				
	situate in Old				
	Pima Co				
2.v	napproved, Township No. 11-3-, Rang				
	and designated as Survey No. 4049				
	in the foregoing field notes, which accurately show				
	marked by monuments on the ground, and descr				
	cate, which was received by me from the Office				
	that all corners of said survey have been establi				
	the law, official regulations and instructions there				
	foregoing are the true and original field notes of said survey and my report therein, and that the				
	labor avnanded and improvements made and				
	labor expended and improvements made upon sai				
	grantors are as therein fully stated, and that the	e character, extent, location,	and itemized value		
	grantors are as therein fully stated, and that the	e character, extent, location, and full detail, and that no po	and itemized value		
	grantors are as therein fully stated, and that the	e character, extent, location, and full detail, and that no po	and itemized value		
	grantors are as therein fully stated, and that the	e character, extent, location, and full detail, and that no po	and itemized value		
	grantors are as therein fully stated, and that the thereof are specified therein with particularity a or improvements so credited to this claim has been	e character, extent, location, and full detail, and that no po	and itemized value		
	grantors are as therein fully stated, and that the thereof are specified therein with particularity a or improvements so credited to this claim has been	e character, extent, location, and full detail, and that no posen included in the estimate of	and itemized value		
	grantors are as therein fully stated, and that the thereof are specified therein with particularity a or improvements so credited to this claim has been	character, extent, location, and full detail, and that no posen included in the estimate of	and itemized value ortion of said labor expenditures upon		
	grantors are as therein fully stated, and that the thereof are specified therein with particularity a or improvements so credited to this claim has been	character, extent, location, and full detail, and that no posen included in the estimate of	and itemized value		
	grantors are as therein fully stated, and that the thereof are specified therein with particularity a or improvements so credited to this claim has been any other claim.	character, extent, location, and full detail, and that no posen included in the estimate of	and itemized value ortion of said labor expenditures upon		
	grantors are as therein fully stated, and that the thereof are specified therein with particularity a or improvements so credited to this claim has been any other claim. Subscribed and sworn to by the said	character, extent, location, and full detail, and that no posen included in the estimate of	and itemized value ortion of said labor expenditures upon		
	grantors are as therein fully stated, and that the thereof are specified therein with particularity a or improvements so credited to this claim has been any other claim. Subscribed and sworn to by the said U. S. Mineral Surveyor, before me	character, extent, location, and full detail, and that no posen included in the estimate of	and itemized value ortion of said labor expenditures upon		
	grantors are as therein fully stated, and that the thereof are specified therein with particularity a or improvements so credited to this claim has been any other claim. Subscribed and sworn to by the said	character, extent, location, and full detail, and that no posen included in the estimate of	and itemized value ortion of said labor expenditures upon		
	grantors are as therein fully stated, and that the thereof are specified therein with particularity a or improvements so credited to this claim has been any other claim. Subscribed and sworn to by the said U. S. Mineral Surveyor, before me	character, extent, location, and full detail, and that no posen included in the estimate of	and itemized value ortion of said labor expenditures upon		
	grantors are as therein fully stated, and that the thereof are specified therein with particularity a or improvements so credited to this claim has been any other claim. Subscribed and sworn to by the said U. S. Mineral Surveyor, before me	character, extent, location, and full detail, and that no posen included in the estimate of	and itemized value ortion of said labor expenditures upon		
	grantors are as therein fully stated, and that the thereof are specified therein with particularity a or improvements so credited to this claim has been any other claim. Subscribed and sworn to by the said U. S. Mineral Surveyor, before me Augustus day of Lavenager, 1927.	character, extent, location, and full detail, and that no posen included in the estimate of	and itemized value ortion of said labor expenditures upon		
My	grantors are as therein fully stated, and that the thereof are specified therein with particularity a or improvements so credited to this claim has been any other claim. Subscribed and sworn to by the said U. S. Mineral Surveyor, before me	character, extent, location, and full detail, and that no posen included in the estimate of	and itemized value ortion of said labor expenditures upon		

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

11

Phoenix, Arizona,
December 1 , 19 27
I, U. S. Surveyor-General for OFFICE CADASTRAL ENGINEER . At Phoenix, Arizona
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of
C. W. McKee
known as the MYSTERY NO. 1 lode
situate inOld_Het
Mining District, Pine County, Arizona
in Section2, Unapp. d., Township No. 11 S., Range No. 16 E., and
designated as Survey No. 4049, has been correctly copied from the originals on file in
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.
And I further certify that five hundred dollars' worth of labor has been expended or improve-
ments made upon said mining claim by claimant. or his grantors, and that said improvements
consist of 1 cut, 5 shafts, and 3 tunnels, total value \$4740, of
which \$4070, the value of 11-12ths of the value of improvements
Nos. 2, 3, 4, 5, 6, and 7, is reserved for eleven adjacent un-
surveyed claims. Total value applied to this claim, \$670.
and that no portion of said labor or improvements has been included in the estimate of expenditures
upon any other claim.
I further certify that the plat thereof, filed in the U.S. Land Office at
Arizona, is correct and in conformity with the foregoing Field Notes.
John D. Adams
Tritod States Symptor Ceneral for Office CADASTRAL ENGINEER

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR

OFFICE OF U. S. SURVEYOR GENERAL PUBLIC SURVEY OFFICE

	Phoenix, Arizona,
I, U.S. Surveyor General forOFFICE CADASTRAL	engineer, at Phoenix, Arizona,
do hereby certify that the foregoing and hereto	attached Field Notes and Return of the Survey of the
Mining Claim of	
Č.	W. McKee
	, known as the
MYSI	ERY NO. 1 lode
situate in	Old_Hatmining district,
PimaCo	unty,Arizona
in Section 2. Unapproved , Township N	o. 11 S. , Range No. 16 E.
, designated as Survey N	04049
executed by R. E. T	ilden, U. S. Mineral
Surveyor, November 3 - 5	, 1927, under my instructions dated
July 12, 19	27, have been critically examined and the necessary
corrections and explanations made, and the said	Field Notes and Return, and the survey they describe,
are hereby approved. The certified copy of the	location certificate filed by the applicant for survey is
on file in this office and a true copy of said certif	fied copy of said location certificate is included and
made a part of the transcript of the field notes.	
	John Mann
	TI S Surroyman Comency for OFFICE CADASTRAL ENGINEER